

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: REM
Name:
ClientProj:

Site Addr: ST. LIVINGSTON A1-32 F.L.

GTA ProjNo: 061325-2

Sampled By: LMH-J/ECT
Date Rec: 6/13/2025
Time Rec: 9:00 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	NORTH @ 3'	6/12/2025		SOIL
2	NORTH @ 6'	6/12/2025		SOIL
3	EAST @ 3'	6/12/2025		SOIL
4	EAST @ 6'	6/12/2025		SOIL
5	EAST @ 8'	6/12/2025		SOIL
6	SOUTH @ 3'	6/12/2025		SOIL
7	SOUTH @ 6'	6/12/2025		SOIL
8	WEST @ 3'	6/12/2025		SOIL
9	WEST @ 6'	6/12/2025		SOIL
10	FLOOR 1 @ 8'	6/12/2025		SOIL
11	FLOOR 2 @ 8'	6/12/2025		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 1
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	NORTH @ 3'						
CHLORIDE EPA 300.0		ND	110	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 2
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: NORTH @ 6' CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 3
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: EAST @ 3' CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 4
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: EAST @ 6'						
	CHLORIDE EPA 300.0	720	110	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 5
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: EAST @ 8'						
	CHLORIDE EPA 300.0	180	110	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 6
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: SOUTH @ 3'
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	110	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 7
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: SOUTH @ 6'
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	110	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 8
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: WEST @ 3' CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 9
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: WEST @ 6' CHLORIDE EPA 300.0	520	110	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 10
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: FLOOR 1 @ 8' CHLORIDE EPA 300.0	1,700	110	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO:
LOCATION: ST. LIVINGSTON A1-32 F.L.

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 061325-2
GTA SAMPLE NO: 11
DATE SAMPLED: 6/12/2025
TIME SAMPLED:
DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: FLOOR 2 @ 8' CHLORIDE EPA 300.0	2,500	110	mg/Kg (PPM)	KC/AA	6/14/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: REM

GTA PROJECT NO: 061325-2
SAMPLED BY: LMH-J/ECTNAME:
PROJECT NO:

DATE SAMPLED: 6/12/2025

LOCATION: ST. LIVINGSTON A1-32 F.L.

SAMPLE MATRIX: SOIL

DATE RECEIVED: 6/13/2025
TIME RECEIVED: 9:00 AM

MI

MOISTURE

No: Analysis	Concentration	LOD	Units	Analyst	Date Completed
SAMPLE ID: NORTH @ 3' % MOISTURE EPA 3550C	6.1	0.10	% OF SAMPLE	AA	6/13/2025
SAMPLE ID: NORTH @ 6' % MOISTURE EPA 3550C	5.0	0.10	% OF SAMPLE	AA	6/13/2025
SAMPLE ID: EAST @ 3' % MOISTURE EPA 3550C	5.6	0.10	% OF SAMPLE	AA	6/13/2025
SAMPLE ID: EAST @ 6' % MOISTURE EPA 3550C	7.1	0.10	% OF SAMPLE	AA	6/13/2025
SAMPLE ID: EAST @ 8' % MOISTURE EPA 3550C	6.1	0.10	% OF SAMPLE	AA	6/13/2025
SAMPLE ID: SOUTH @ 3' % MOISTURE EPA 3550C	6.2	0.10	% OF SAMPLE	AA	6/13/2025
SAMPLE ID: SOUTH @ 6' % MOISTURE EPA 3550C	5.2	0.10	% OF SAMPLE	AA	6/13/2025
SAMPLE ID: WEST @ 3' % MOISTURE EPA 3550C	5.5	0.10	% OF SAMPLE	AA	6/13/2025
SAMPLE ID: WEST @ 6' % MOISTURE EPA 3550C	6.8	0.10	% OF SAMPLE	AA	6/13/2025
SAMPLE ID: FLOOR 1 @ 8' % MOISTURE EPA 3550C	7.4	0.10	% OF SAMPLE	AA	6/13/2025
SAMPLE ID: FLOOR 2 @ 8' % MOISTURE EPA 3550C	9.2	0.10	% OF SAMPLE	AA	6/13/2025

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
	St. Livingston A1-32 F.L.	REM.
SAMPLED BY	COMPANY	GTA PROJECT #
LMHJ	ECT	061325-2

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	NORTH @ 3'	6-12-25		SOIL	CL
2	NORTH @ 6'				
3	EAST @ 3'				
4	EAST @ 6'				
5	EAST @ 8'				
6	SOUTH @ 3'				
7	SOUTH @ 6'				
8	West @ 3'				
9	West @ 6'				
10	Floor 1 @ 8'				
11	Floor 2 @ 8'				

BILL TO:

REM.

TempRec: ☐

On Ice? ☐ ☐

REPORT TO:

Lisa

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

Lisa
6-13-25
8:52AM

W. K.
6-13-25 9A

REQUESTED TAT ☐ STANDARD ☒ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS