



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: JORDAN DEVELOPMENT CO. LLC
Name:
ClientProj: 160205-5500
GTA ProjNo: 080125-8

Site Addr: DAWSON 15-11
Sampled By: LMH-J/ECT
Date Rec: 8/1/2025
Time Rec: 2:32 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	A	8/1/2025		SOIL
2	B	8/1/2025		SOIL
3	C	8/1/2025		SOIL
4	D	8/1/2025		SOIL
5	E	8/1/2025		SOIL
6	F	8/1/2025		SOIL
7	N. SW	8/1/2025		SOIL
8	S. SW	8/1/2025		SOIL
9	E. SW	8/1/2025		SOIL
10	W. SW	8/1/2025		SOIL
11	F-1	8/1/2025		SOIL
12	F-2	8/1/2025		SOIL
13	F-2 + 1'	8/1/2025		SOIL
14	STOP	8/1/2025		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 1
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: A	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 2
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: B	CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 3
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: C	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 4
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: D	CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 5
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: E	CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 6
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: F	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 7
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: N. SW CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 8
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: S. SW CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 9
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: E. SW CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO: 160205-5500
LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
GTA SAMPLE NO: 10
DATE SAMPLED: 8/1/2025
TIME SAMPLED:
DATE RECEIVED: 8/1/2025
TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: W. SW CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 11
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-1 CHLORIDE EPA 300.0	280	100	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 12
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-2 CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 13
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-2 + 1' CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: JORDAN DEVELOPMENT CO. LLC
 PROJECT NO: 160205-5500
 LOCATION: DAWSON 15-11

GTA PROJECT NO: 080125-8
 GTA SAMPLE NO: 14
 DATE SAMPLED: 8/1/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/1/2025
 TIME RECEIVED: 2:32 PM

SAMPLED BY: MI
 LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: S TOP	CHLORIDE EPA 300.0	380	100	mg/Kg (PPM)	KC/AA	8/3/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC

GTA PROJECT NO: 080125-8

NAME:
PROJECT NO: 160205-5500

SAMPLED BY: LMH-J/ECT

DATE SAMPLED: 8/1/2025

LOCATION: DAWSON 15-11

MI

SAMPLE MATRIX: SOIL

DATE RECEIVED: 8/1/2025

TIME RECEIVED: 2:32 PM

MOISTURE

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: A % MOISTURE EPA 3550C	6.4	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: B % MOISTURE EPA 3550C	5.2	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: C % MOISTURE EPA 3550C	5.6	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: D % MOISTURE EPA 3550C	4.3	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: E % MOISTURE EPA 3550C	6.0	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: F % MOISTURE EPA 3550C	6.3	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: N. SW % MOISTURE EPA 3550C	14	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: S. SW % MOISTURE EPA 3550C	11	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: E. SW % MOISTURE EPA 3550C	6.1	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: W. SW % MOISTURE EPA 3550C	11	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: F-1 % MOISTURE EPA 3550C	7.8	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: F-2 % MOISTURE EPA 3550C	8.4	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: F-2 + 1' % MOISTURE EPA 3550C	4.2	0.10	% OF SAMPLE	AA	8/1/2025
SAMPLE ID: S TOP % MOISTURE EPA 3550C	8.7	0.10	% OF SAMPLE	AA	8/1/2025

CHAIN OF CUSTODY

PROJECT NUMBER 160205-5500	SITE NAME/ADDRESS Dawson 15-11	COMPANY/NAME JORDAN
SAMPLED BY LMH-J	COMPANY ECT	GTA PROJECT # 080125-8

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	A	8-1-25		SOIL	CL
2	B	↓	↓	↓	↓
3	C				
4	D				
5	E				
6	F				
7	N. SW				
8	S. SW				
9	E. SW				
10	W. SW				
11	F-1				
12	F-2				
13	F-2 + 1				
14	S TOP				

BILL TO: JORDAN	TempRec: <input type="checkbox"/>	On Ice? <input type="checkbox"/> <input checked="" type="checkbox"/>	REPORT TO: Lisa
--------------------	-----------------------------------	--	--------------------

RELEASED BY Lisa Hoffman	DATE/TIME 8-1-25 2:32 pm	RECEIVED BY A. Alpa	DATE/TIME 8/1/25 2:32
-----------------------------	--------------------------------	------------------------	-----------------------------

REQUESTED TAT STANDARD BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS