



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: APOLLO
Name:
ClientProj:

Site Addr: SEMI ANNUAL

GTA ProjNo: 091125-22

Sampled By: LEL/ECT

Date Rec: 9/11/2025

Time Rec: 2:10 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	JANOFSKI 1-29 MW-101	9/11/2025		WATER
2	MCLOUD ERICKSON 1-31 MW-1	9/10/2025		WATER
3	MCLOUD ERICKSON 1-31 MW-2	9/10/2025		WATER
4	MCLOUD ERICKSON 1-31 MW-3	9/10/2025		WATER
5	SHORT 1-24A OW-1	9/10/2025		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: APOLLO
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 091125-22
GTA SAMPLE NO: 1

DATE SAMPLED: 9/11/2025
TIME SAMPLED:

DATE RECEIVED: 9/11/2025
TIME RECEIVED: 2:10 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: JANOFSKI 1-29 MW-101						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/17/2025	WATER
	CONDUCTIVITY SM2510-B	340	1.0	uS/cm@25C	TR	9/17/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: APOLLO
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MCLOUD ERICKSON 1-31 MW-1
GTA PROJECT NO: 091125-22
GTA SAMPLE NO: 2
DATE SAMPLED: 9/10/2025
TIME SAMPLED:
DATE RECEIVED: 9/11/2025
TIME RECEIVED: 2:10 PM
SAMPLED BY: LEL/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/12/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: APOLLO
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MCLOUD ERICKSON 1-31 MW-2

GTA PROJECT NO: 091125-22
GTA SAMPLE NO: 3
DATE SAMPLED: 9/10/2025
TIME SAMPLED:
DATE RECEIVED: 9/11/2025
TIME RECEIVED: 2:10 PM
SAMPLED BY: LEL/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/12/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: APOLLO
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MCLOUD ERICKSON 1-31 MW-3

GTA PROJECT NO: 091125-22
GTA SAMPLE NO: 4
DATE SAMPLED: 9/10/2025
TIME SAMPLED:
DATE RECEIVED: 9/11/2025
TIME RECEIVED: 2:10 PM
SAMPLED BY: LEL/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/12/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: APOLLO
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 091125-22
GTA SAMPLE NO: 2

DATE SAMPLED: 9/10/2025
TIME SAMPLED:

DATE RECEIVED: 9/11/2025
TIME RECEIVED: 2:10 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MLCLOUD ERICKSON 1-31 MW-1						
	CHLORIDE EPA 300.0	130	10	mg/L (PPM)	KC/TR	9/17/2025	WATER
	CONDUCTIVITY SM2510-B	760	1.0	uS/cm@25C	TR	9/17/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: APOLLO
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 091125-22
GTA SAMPLE NO: 3

DATE SAMPLED: 9/10/2025
TIME SAMPLED:

DATE RECEIVED: 9/11/2025
TIME RECEIVED: 2:10 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MLCLOUD ERICKSON 1-31 MW-2						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/17/2025	WATER
	CONDUCTIVITY SM2510-B	490	1.0	uS/cm@25C	TR	9/17/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: APOLLO
PROJECT NO:
LOCATION: SEMI ANNUAL

GTA PROJECT NO: 091125-22
GTA SAMPLE NO: 4

DATE SAMPLED: 9/10/2025
TIME SAMPLED:

DATE RECEIVED: 9/11/2025
TIME RECEIVED: 2:10 PM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MLCLOUD ERICKSON 1-31 MW-3							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/17/2025	WATER
	CONDUCTIVITY SM2510-B	270	1.0	uS/cm@25C	TR	9/17/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: APOLLO
PROJECT NO:
LOCATION: SEMI ANNUAL
MI
SAMPLE MATRIX: WATER
SAMPLE ID: SHORT 1-24A OW-1

GTA PROJECT NO: 091125-22
GTA SAMPLE NO: 5
DATE SAMPLED: 9/10/2025
TIME SAMPLED:
DATE RECEIVED: 9/11/2025
TIME RECEIVED: 2:10 PM
SAMPLED BY: LEL/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/12/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: APOLLO
PROJECT NO:
LOCATION: SEMI ANNUAL

MI
SAMPLED BY: LEL/ECT

GTA PROJECT NO: 091125-22
GTA SAMPLE NO: 5

DATE SAMPLED: 9/10/2025
TIME SAMPLED:

DATE RECEIVED: 9/11/2025
TIME RECEIVED: 2:10 PM

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: SHORT 1-24A OW-1						
CHLORIDE EPA 300.0	15	10	mg/L (PPM)	KC/TR	9/17/2025	WATER
CONDUCTIVITY SM2510-B	580	1.0	uS/cm@25C	TR	9/17/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

