

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MICHIGAN CONSULTING &
Name: ENVIRONMENTAL
ClientProj: 65078.2
GTA ProjNo: 092325-12

Site Addr: BUILDING 65, YELLOW DR
TRAVERSE CITY
Sampled By: KK/KL - MCE
Date Rec: 9/23/2025
Time Rec: 4:55 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	SB/TMW-1	9/23/2025	12:55 PM	WATER
2	SB/TMW-3	9/23/2025	1:50 PM	WATER
3	SB/TMW-4	9/23/2025	1:20 PM	WATER
4	SB/TMW-5	9/23/2025	11:45 AM	WATER
5	SB/TMW-6	9/23/2025	12:20 PM	WATER
6	SB/TMW-7	9/23/2025	1:35 PM	WATER
7	SP-1 (1.5)	9/23/2025	12:45 PM	SOIL
8	SP-1 (4)	9/23/2025	12:45 PM	SOIL
9	SP-2 (2)	9/23/2025	1:00 PM	SOIL
10	SP-2 (4.5)	9/23/2025	1:00 PM	SOIL
11	SP-3 (1.5)	9/23/2025	1:10 PM	SOIL
12	SP-3 (4)	9/23/2025	1:10 PM	SOIL
13	SB-2 (6"-1')	9/23/2025	11:05 AM	SOIL
14	SB-6 (0-0.5')	9/23/2025	12:08 PM	SOIL
15	SB-5 (1-1.5)	9/23/2025	12:00 PM	SOIL
16	SB-7 (0-0.5)	9/23/2025	12:15 PM	SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

SAMPLED BY: TRAVERSE CITY
KK/KL - MCE

SAMPLE MATRIX: WATER
SAMPLE ID: SB/TMW-1

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) **Analyst=** MR **Date Extracted=**

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 1

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:55 PM
DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

Date Completed= 9/24/2025 **Prep Method=** EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 2

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 1:50 PM
DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLED BY: TRAVERSE CITY
KK/KL - MCE

SAMPLE MATRIX: WATER
SAMPLE ID: SB/TMW-3

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 9/24/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 3

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 1:20 PM
DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLED BY: TRAVERSE CITY
KK/KL - MCE

SAMPLE MATRIX: WATER
SAMPLE ID: SB/TMW-4

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 9/24/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

SAMPLED BY: TRAVERSE CITY
KK/KL - MCE

SAMPLE MATRIX: WATER
SAMPLE ID: SB/TMW-5

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 4

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 11:45 AM
DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

Date Completed= 9/24/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

SAMPLED BY: TRVERSE CITY
KK/KL - MCE

SAMPLE MATRIX: WATER
SAMPLE ID: SB/TMW-6

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 5

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:20 PM
DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 9/24/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

SAMPLED BY: TRVERSE CITY
KK/KL - MCE

SAMPLE MATRIX: WATER
SAMPLE ID: SB/TMW-7

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) **Analyst=** MR **Date Extracted=**

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 6

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 1:35 PM
DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

Date Completed= 9/24/2025 **Prep Method=** EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 13

SAMPLED BY: TRAVERSE CITY
KK/KL - MCE

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 11:05 AM
DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL
SAMPLE ID: SB-2 (6"-1')

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)

Analyst= MR

Date Extracted= 9/23/2025

Date Completed= 9/24/2025

Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 14

SAMPLED BY: TRAVERSE CITY
KK/KL - MCE

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:08 PM
DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL
SAMPLE ID: SB-6 (0-0.5')

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)

Analyst= MR

Date Extracted= 9/23/2025

Date Completed= 9/25/2025

Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBEZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBEZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBEZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBEZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBEZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBEZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 15

SAMPLED BY: TRAVERSE CITY
KK/KL - MCE

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:00 PM
DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL
SAMPLE ID: SB-5 (1-1.5)

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 9/23/2025 Date Completed= 9/25/2025 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBEZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBEZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBEZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBEZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBEZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBEZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 16

SAMPLED BY: TRAVERSE CITY
KK/KL - MCE

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:15 PM
DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL
SAMPLE ID: SB-7 (0-0.5)

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 9/23/2025 Date Completed= 9/25/2025 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBEZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBEZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBEZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBEZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBEZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBEZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRaverse CITY
MI
SAMPLED BY: KK/KL - MCE

SAMPLE MATRIX: SOIL
SAMPLE ID: SP-1 (1.5)

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 7

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:45 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/30/2025	10/6/2025	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRaverse CITY
MI
SAMPLED BY: KK/KL - MCE

SAMPLE MATRIX: SOIL
SAMPLE ID: SP-1 (4)

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 8

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:45 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/30/2025	10/6/2025	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRaverse CITY
MI
SAMPLED BY: KK/KL - MCE

SAMPLE MATRIX: SOIL
SAMPLE ID: SP-2 (2)

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 9

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 1:00 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/30/2025	10/6/2025	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRaverse CITY
MI
SAMPLED BY: KK/KL - MCE

SAMPLE MATRIX: SOIL
SAMPLE ID: SP-2 (4.5)

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 10

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 1:00 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/30/2025	10/6/2025	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRaverse CITY
MI
SAMPLED BY: KK/KL - MCE

SAMPLE MATRIX: SOIL
SAMPLE ID: SP-3 (1.5)

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 11

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 1:10 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/30/2025	10/6/2025	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRaverse CITY
MI
SAMPLED BY: KK/KL - MCE

SAMPLE MATRIX: SOIL
SAMPLE ID: SP-3 (4)

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 12

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 1:10 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/30/2025	10/6/2025	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	430	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	430	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRaverse CITY
MI
SAMPLED BY: KK/KL - MCE

SAMPLE MATRIX: SOIL
SAMPLE ID: SB-2 (6"-1')

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 13

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 11:05 AM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/30/2025	10/6/2025	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	830	330					
Benzo(b)fluoranthene	1,400	330					
Benzo(k)fluoranthene	500	330					
Benzo(a)pyrene	1,100	330					
Benzo(ghi)perylene	370	330					
2-Chloronaphthalene	ND	330					
Chrysene	750	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	1,600	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	500	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	750	330					
Pyrene	1,200	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRaverse CITY
MI
SAMPLED BY: KK/KL - MCE

SAMPLE MATRIX: SOIL
SAMPLE ID: SB-6 (0-0.5')

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 14

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:08 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/30/2025	10/6/2025	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	610	330					
Benzo(b)fluoranthene	1,100	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	900	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	510	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	1,400	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	470	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	1,000	330					
Pyrene	1,000	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRaverse CITY
MI
SAMPLED BY: KK/KL - MCE

SAMPLE MATRIX: SOIL
SAMPLE ID: SB-5 (1-1.5)

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 15

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:00 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/30/2025	10/6/2025	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED

LOD = LIMIT OF DETECTION

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRaverse CITY
MI
SAMPLED BY: KK/KL - MCE

SAMPLE MATRIX: SOIL
SAMPLE ID: SB-7 (0-0.5)

GTA PROJECT NO: 092325-12
GTA SAMPLE NO: 16

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:15 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	9/30/2025	10/6/2025	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRAVERSE CITY
MI

SAMPLED BY: KK/KL - MCE

SAMPLE ID: SP-1 (1.5)

GTA PROJECT NO: 092325-12

GTA SAMPLE NO: 7

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:45 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.99	0.52	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
LEAD TOTAL EPA 6020A	19	0.52	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
SELENIUM TOTAL EPA 6020A	ND	0.52	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DRTRAVERSE CITY
MI

SAMPLED BY: KK/KL - MCE

SAMPLE ID: SP-1 (4)

GTA PROJECT NO: 092325-12

GTA SAMPLE NO: 8

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:45 PMDATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	2.0	0.32	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
LEAD TOTAL EPA 6020A	43	0.32	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
SELENIUM TOTAL EPA 6020A	ND	0.32	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DRTRAVERSE CITY
MI

SAMPLED BY: KK/KL - MCE

SAMPLE ID: SP-2 (2)

GTA PROJECT NO: 092325-12

GTA SAMPLE NO: 9

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 1:00 PMDATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.62	0.38	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
LEAD TOTAL EPA 6020A	1.9	0.38	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
SELENIUM TOTAL EPA 6020A	ND	0.38	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRAVERSE CITY
MI

SAMPLED BY: KK/KL - MCE

SAMPLE ID: SP-2 (4.5)

GTA PROJECT NO: 092325-12

GTA SAMPLE NO: 10

DATE SAMPLED: 9/23/2025

TIME SAMPLED: 1:00 PM

DATE RECEIVED: 9/23/2025

TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.94	0.38	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
LEAD TOTAL EPA 6020A	13	0.38	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
SELENIUM TOTAL EPA 6020A	ND	0.38	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DR

TRAVERSE CITY
MI

SAMPLED BY: KK/KL - MCE

SAMPLE ID: SP-3 (1.5)

GTA PROJECT NO: 092325-12

GTA SAMPLE NO: 11

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 1:10 PM

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.76	0.44	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
LEAD TOTAL EPA 6020A	4.5	0.44	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
SELENIUM TOTAL EPA 6020A	ND	0.44	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DRTRAVERSE CITY
MI

SAMPLED BY: KK/KL - MCE

SAMPLE ID: SP-3 (4)

GTA PROJECT NO: 092325-12

GTA SAMPLE NO: 12

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 1:10 PMDATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	1.6	0.35	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
LEAD TOTAL EPA 6020A	93	0.35	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
SELENIUM TOTAL EPA 6020A	ND	0.35	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DRTRAVERSE CITY
MI

SAMPLED BY: KK/KL - MCE

SAMPLE ID: SB-2 (6"-1')

GTA PROJECT NO: 092325-12

GTA SAMPLE NO: 13

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 11:05 AMDATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.50	0.42	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
LEAD TOTAL EPA 6020A	1.5	0.42	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
SELENIUM TOTAL EPA 6020A	ND	0.42	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DRTRAVERSE CITY
MI

SAMPLED BY: KK/KL - MCE

SAMPLE ID: SB-6 (0-0.5')

GTA PROJECT NO: 092325-12

GTA SAMPLE NO: 14

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:08 PMDATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.47	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
LEAD TOTAL EPA 6020A	1.1	0.47	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
SELENIUM TOTAL EPA 6020A	ND	0.47	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DRTRAVERSE CITY
MI

SAMPLED BY: KK/KL - MCE

SAMPLE ID: SB-5 (1-1.5)

GTA PROJECT NO: 092325-12

GTA SAMPLE NO: 15

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:00 PMDATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
LEAD TOTAL EPA 6020A	1.1	0.36	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
SELENIUM TOTAL EPA 6020A	ND	0.36	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65078.2
LOCATION: BUILDING 65, YELLOW DRTRAVERSE CITY
MI

SAMPLED BY: KK/KL - MCE

SAMPLE ID: SB-7 (0-0.5)

GTA PROJECT NO: 092325-12

GTA SAMPLE NO: 16

DATE SAMPLED: 9/23/2025
TIME SAMPLED: 12:15 PMDATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM

SAMPLE MATRIX: SOIL

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.43	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
LEAD TOTAL EPA 6020A	1.9	0.43	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B
SELENIUM TOTAL EPA 6020A	ND	0.43	mg/Kg (PPM)	MR	9/30/2025	EPA 3050B

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 65078.2LOCATION: BUILDING 65, YELLOW DR
TRAVERSE CITY
MI

GTA PROJECT NO: 092325-

SAMPLED BY: KK/KL - MCE

DATE SAMPLED: 9/23/2025

SAMPLE MATRIX: SOIL

DATE RECEIVED: 9/23/2025
TIME RECEIVED: 4:55 PM**MOISTURE**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: SP-1 (1.5)	% MOISTURE EPA 3550C	30	0.10	% OF SAMPLE	AA	9/24/2025
SAMPLE ID: SP-1 (4)	% MOISTURE EPA 3550C	15	0.10	% OF SAMPLE	AA	9/24/2025
SAMPLE ID: SP-2 (2)	% MOISTURE EPA 3550C	7.4	0.10	% OF SAMPLE	AA	9/24/2025
SAMPLE ID: SP-2 (4.5)	% MOISTURE EPA 3550C	12	0.10	% OF SAMPLE	AA	9/24/2025
SAMPLE ID: SP-3 (1.5)	% MOISTURE EPA 3550C	23	0.10	% OF SAMPLE	AA	9/24/2025
SAMPLE ID: SP-3 (4)	% MOISTURE EPA 3550C	15	0.10	% OF SAMPLE	AA	9/24/2025
SAMPLE ID: SB-2 (6"-1')	% MOISTURE EPA 3550C	22	0.10	% OF SAMPLE	AA	9/24/2025
SAMPLE ID: SB-6 (0-0.5')	% MOISTURE EPA 3550C	30	0.10	% OF SAMPLE	AA	9/24/2025
SAMPLE ID: SB-5 (1-1.5)	% MOISTURE EPA 3550C	9.6	0.10	% OF SAMPLE	AA	9/24/2025
SAMPLE ID: SB-7 (0-0.5)	% MOISTURE EPA 3550C	27	0.10	% OF SAMPLE	AA	9/24/2025

CHAIN OF CUSTODY

PROJECT NUMBER 65078-2	SITE NAME/ADDRESS Building 65, Yellow Dr, Traverse City, MI 49684	COMPANY/NAME
SAMPLED BY Kate Kelly & Kyle Lundeen	COMPANY MCE	GTA PROJECT # 092325-12

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	SB/TMW-1	9/23/25	12:55	GW	VOCs
2	SB/TMW-3		13:50	GW	
3	SB/TMW-4		13:20	GW	
4	SB/TMW-5		11:45	GW	
5	SB/TMW-6		12:20	GW	
6	SB/TMW-7		13:35	GW	
7	SP-1 (1.5)		12:45	Soil	PNA, AS, Pb, Se
8	SP-1 (4)		12:45	Soil	
9	SP-2 (2)		13:00	Soil	
10	SP-2 (4.5)		13:00	Soil	
11	SP-3 (1.5)		13:10	Soil	
12	SP-3 (4)		13:10	Soil	
13	SB-2 (6"-1')		11:05	Soil	PNA, AS, Pb, Se, VOCs
14	SB-6 (0-0.5')		12:08	Soil	
15	SB-5 (1-1.5)		12:00	Soil	

BILL TO: **MCE**

TempRec: ☐

On Ice? ☒ ☐

3.0°C

REPORT TO:

Tonia Hack

RELEASED BY

DATE/TIME

Kate Kelly

9/23/25 1654

RECEIVED BY

DATE/TIME

[Signature] 9/23/25 1655

REQUESTED TAT ☒ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS

